REGISTRATION CERTIFICATE EPAC-10 REV. 7-73



STATE OF CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION



EQUIPMENT CLASSIFICATION		STACK NO. 01	171012014
FIRM NAME	PROCESS MFG.	AIR POLLUTION CONTROL	REGISTRATION NO. 01170443
NEW HAVEN TERMINAL LOCATION OF EQUIPMENT (No. 8 Street Town, Zip) 30 WATERFRONT ST			DATE ISSUED 12/05/73
COMMISSIONER OR HIS REPRESENTATIVE	NEW HAVEN		
DESCRIPTION OF THE PROPERTY OF	•		

DEPARTMENT OF ENVIRONMENTAL PROTECTION

1. APPLICATION NO.

2. STACK NO.

A. DAYSON S. APPLICANT HOLLY, A. S. E. Laurent ITHE OF EXPIRICAL TIME, Assign look THE OFFICE TIME, ASSI	HONE
A. DIVISION B. MATERIAL PUEL GRADES PUEL GRADES SUPPLICATI OIL GRADES SUPPLICATION OIL GRADES OIL GRADES SUPPLICATION OIL GRADES SUPPLICATION OIL GRADES OIL GRADES OIL GRADES OIL GRADES SUPPLICATION OIL GRADES OIL	1391
FUEL ORADES ON THE CONTENT COUNTS EQUIPMENT USED (IF "PS," File flow EP-7) TYPE OF EQUIPMENT ENDS (EQUIPMENT ENDS (IF "PS," File flow EP-7) TYPE OF EQUIPM	
NESTALATION	
NAME NAME NAME NAME SESSIONS OTHER	
FUEL GRADES OFFICE WHISE STORE CHURCH MOTEL MOTEL CR LAB. HOUSE OR APTS. (-Specify)	
FUEL GRADES (AS) CONTENT Tons, Golt. or Cu. Pt.) (LLB., Gols., Cu. Pt./hr.) (BTU/hr.) Month to Month Name City Content	
TYPES OF UES USED OIL	
TYPES OF HES USED OIL	r Town
TYPES OF ### OF COVER NAT. GAS OTHER MATERIALS USE ENTERING (Fons/Yr.) (Fons/Yr.) FROCESS WEIGHTS #### OF COVER NORMATION ACTION OF EMISSIONS IT. POLIUTANTS ENTITLE #### OF COVER NORMATION MATERIAL STACK FROMPEN MATERIAL STACK INDICATOR MATERIAL STACK INDICATOR MATERIAL STACK NORMATION STACK ENTIT DIRECTION STACK INNO STACK ENTIT DIRECTION STACK INNO STACK ENTIT DIRECTION STACK ENTI	
TOTHER MATERIALS STORAGE AND ROCESS TANK MATERIALS STORAGE FAME MATERIALS STORAGE FAME STORAGE FAME MATERIALS STORAGE FAME MATERIAL STORAGE STORAGE FAME MATERIAL STORAGE STORAGE FAME MATERIAL STORAGE STORAGE FAME MATERIAL STORAGE STORAGE STORAGE STORAGE S	
NAT. GAS OTHER MATERIALS USE (Solvent, Cotalyst) ENTERING (Tons/Yr.) (Tons/Yr.) II. POLIUTANTS MATERIAL RATE OF EMISSIONS (Gons/Yr.) METHOD USED DETERMINE EMISSI METHOD USED DETERMINE EMISSI NORMATION MATERIAL RATE OF EMISSIONS (Gons/Yr.) METHOD USED DETERMINE EMISSI METHOD USED TONS (Tons/Yr.) TO ATMOSPHERE OTHER (Specify) STORAGE TEMPERA MATERIAL BEING STORED JULY L. R.C.E.T.P.T.E JELOATING ROOF CLOSED WITH VAPOR RECOVERY SYSTEM Breaching Gos Inn. OF IDENTICAL UNITS OPERATING HOURS. AND STACK EXT DIRECTION AND STACK EXT DIRECTION STACK EXT DIRECTION AND STACK EXT DIRECTION MAKE AND MODEL NO. STACK LINING WETAL II. STACK EXIMPED TITLE ITTLE TITLE TO STACK: AN NE, E, SE, S, SV	
NAT. GAS OTHER MATERIALS USE ENTERING (Tons/Yr.) (Tons/Yr.) NATERIALS USE (Solvent, Cotalyst) NATERIALS (Solvent, Cotalyst) NATERIALS NATERIAL NAT	
PROCESS WEIGHTS CAPACITY (Gollons) STORAGE AND ROCESS TANK RORMATION EQUIPMENT EQUIPMENT EQUIPMENT EXHAUST GAS INDECTOR EXHAUST GAS INDECTOR AXIMUM NORMAL NORMAL NORMAL NORMAL NORMAL A. STACK ORMATION STACK EXT DIRECTION STOCK AND MAKE AND MODEL NO. STACK LINING STACK LINING STACK LINING STACK LINING NOR IN STACK EXT DIRECTION STACK LINING NOR IN STACK EXT DIRECTION STACK LINING STACK LINING NOR IN STACK EXT DIRECTION STACK LINING NOR IN STACK EXT DIRECTION STACK LINING NOR IN STACK CAPE STORAGE TORRECTORY NOR IN STACK EXT DIRECTION STACK LINING NOR IN STACK EXT DIRECTION STACK LINING NOR IN STACK LINING NOR IN STACK EXT DIRECTION STACK LINING	
PROCESS WEIGHTS TORAGE AND ROCESS TANK PROPERTY (Gollons) ATTERIALS (Solvent, Cotalyst) PROCESS TANK PROPERTY (Gollons) ATTERIALS (Solvent, Cotalyst) TORAGE AND ROCESS TANK PROPERTY (Gollons) ATTERIALS (Solvent, Cotalyst) TORAGE AND ROCESS TANK PROPERTY (Gollons) ATTERIAL RATE OF EMISSIONS (Tons/Yr.) TORAGE TEMPERA TORAGE	
PROCESS WEIGHTS CAPACITY (Gollows) ATTERIALS (Solvent, Cotalyst) (Tons/Yr.) (Tons/Yr.	
PROCESS WEIGHTS 11. POLIUTANTS EMITTED STORAGE AND ROCESS TANK ROCKATION A STACK EXT DIRECTION STACK EX	
PROCESS WEIGHTS The political process of the pro	
STORAGE AND ROCESS ANK PROCESS TANK PROCESS	
STORAGE AND OCCESS TANK FORMATION CAPACITY (Gollons) AMATERIAL BEING STORED MATERIAL BEING STORED MAXIMUM NORMAL CHUPMENT ORMATION STACK EXIT DIRECTION TO STACK: N, NE, E, SE, S, SV TITLE TITLE TITLE	
CAPACITY (Gollons) ANATORIAL BEING STORED ANATORIAL	
STORAGE AND COESS TANK FORMATION MATERIAL BEING STORED MAXIMUM NORMAL STACK EXIT DIRECTION STACK UNING YES NO STACK UNING METAL Distance to stack from intersection: FI. DISTACK: N, NE, E, SE, S, SV. I certify that I have examined the above information and that to the best of my knowl- ITILE STORAGE TEMPERA STORAGE TEMPERA OTHER (Specify) STORAGE TEMPERA OTHER (Specify) STORAGE TEMPERA OTHER (Specify) STORAGE TEMPERA OTHER (Specify) STACK EQUIPPED WITH RAIN HAT? YES NO OTHER (Specify) STACK UNING Distance to stack from intersection: FI. TO STACK: N, NE, E, SE, S, SV. ITILE	
STORAGE AND CAPACITY (Gallons) AMATERIAL BEING STORED WINYL ACCTATE EQUIPMENT ORMATION EQUIPMENT ORMATION EXHAUST GAS FLOW RATE (ACFM): STACK EXIT DIRECTION STACK EXIT DIMENSIONS HORIZ. VERT. STACK EXIT DIRECTION SMOKE INDICATOR IN STACK SMOKE INDICATOR IN STACK ANAMAM MAKE AND MODEL NO. STACK LINING YES NO Nome of nearest intersecting street: TO STACK: AN ome of nearest intersecting street: I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- SIGNED TILE STORAGE TEMPERA STORAGE TEMPERA OTHER (Specify) OTHER (Specify) STORAGE TEMPERA OTHER (Specify) STORAGE TEMPERA OTHER (Specify) STORAGE TEMPERA OTHER (Specify) OTHER (Specify) OTHER (Specify) STORAGE TEMPERA OTHER (Specify) OTHER (Specify) OTHER (Specify) STORAGE TEMPERA OTHER (Specify) OTHER (Specify) OTHER (Specify)	
STORAGE AND ROCESS TANK IFORMATION MATERIAL BEING STORED WALL RECTATE EQUIPMENT FORMATION EQUIPMENT FORMATION FIND RATE (ACFM): STACK EXIT DIRECTION STACK LINING WETAL STACK LINING STACK LININ	
STORAGE AND ROCESS TANK IFORMATION MATERIAL BEING STORED WALL RECTATE EQUIPMENT FORMATION EQUIPMENT FORMATION FIND RATE (ACFM): STACK EXIT DIRECTION STACK LINING WETAL STACK LINING STACK LININ	
MATERIAL BEING STORED WINYL PCETATE EQUIPMENT FORMATION EXHAUST GAS FLOW RATE (ACFM): STACK EXIT DIRECTION	URE:
FORMATION VILLY RESTATE EQUIPMENT FORMATION EXHAUST GAS FLOW RATE (ACFM): STACK EXIT DIRECTION STACK EXIT DIRECTION SMOKE INDICATOR IN STACK ORMATION SMOKE INDICATOR IN STACK MAKE AND MODEL NO. STACK EXIT DIRECTION SMOKE INDICATOR IN STACK MAKE AND MODEL NO. STACK EXIT DIRECTION SMOKE INDICATOR IN STACK MAKE AND MODEL NO. STACK LINING WETAL Distance to stack from intersection: I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl-	
EQUIPMENT FORMATION EXHAUST GAS FLOW RATE (ACFM): STACK EXIT DIRECTION OPERATING HOURS/DAY HO	
FORMATION EXHAUST GAS FLOW RATE (ACFM): STACK EXIT DIRECTION STACK LINING WEETAL STACK LINING WEETAL DISTACK LINING WEETAL DIRECTION CCircle one) TO STACK: N, NE, E, SE, S, SV I certify that I have examined the above information and that to the best of my knowl- TITLE TO STACK: TO STACK: N, NE, E, SE, S, SV TITLE	°F RS/YR.
STACK EXIT DIRECTION STACK LINING STACK LINING METAL Distance to stack from intersection: TO STACK: N, NE, E, SE, S, SV I certify that I have examined the above information and that to the best of my knowl- STACK INDING STACK LINING DIRECTION STACK LINING STACK	
4. STACK ORMATION SMOKE INDICATOR IN STACK MAKE AND MODEL NO. SMOKE INDICATOR IN STACK MAKE AND MODEL NO. STACK LINING YES NO OTHER (Specify) STACK Intersecting street: Distance to stack from intersection: FI. DIRECTION (Circle one) TO STACK: N, NE, E, SE, S, SV I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify th	
SMOKE INDICATOR IN STACK MAKE AND MODEL NO. STACK LINING WETAL REFRACTORY OTHER (Specify) STACK CATION I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- I certify that I have examined the above information and that to the best of my knowl- IIILE	
STACK ATION Name of nearest intersecting street: Certify that I have examined the above information and that to the best of my knowl-	······································
STACK Name of nearest intersecting street: I certify that I have examined the above information and that to the best of my knowl-	
CATION intersecting street: from intersection: FT. TO STACK: N, NE, E, SE, S, SV 1 certify that I have examined the above information and that to the best of my knowl-	
I certify that I have examined the above information and that to the best of my knowl-	, w, !
	ATE /
5. CERTIFICATION edge it is true and complete. (Signature subjects signer to provisions of the General Statutes regarding false and misleading statements).	Mala

DATE FORM RETURNED

DATE PLAN APPROVED

HER WAYER YERSHAML, INC.

Menry A. St.Laurent