



Attachment D

Revision to Connecticut's State Implementation Plan

8-Hour Ozone Attainment Demonstration Technical Support Document

**Connecticut Department of Environmental Protection
February 1, 2008**



The Department of Environmental Protection is an affirmative action/equal opportunity employer. In conformance with the American with Disabilities Act of 1990, individuals who need information in an alternative format to allow them to benefit and/or participate in the Agency's programs and services, should call TDD (860) 424-3000, and make their request to the receptionist. Requests for accommodations to attend meetings and/or educational programs sponsored by the DEP must be made at least two weeks prior to the program date. These requests may be made directly to Marcia Z. Bonitto, ADA Coordinator, via email: marcia.bonitto@po.state.ct.us.

Table of Contents

Connecticut 8-Hour Ozone Attainment Demonstration

		Page
Executive Summary		
Chapter 1	Introduction and Background	1-1
1.1	Purpose of Document	1-1
1.2	Ozone Production and Health Effects	1-1
1.3	Previous Ozone NAAQS SIP History	1-2
1.4	Current 8-Hour Ozone NAAQS SIP Requirements	1-4
1.4.1	8-Hour Ozone NAAQS Designations	1-4
1.4.2	EPA 8-Hour Ozone NAAQS Implementation Rules	1-6
1.4.3	D.C. Circuit Court Ruling on EPA's Implementation Rule	1-7
1.5	Summary of Conclusions	1-9
Chapter 2	Nature of the Ozone Air Quality Problem in the Northeast and Connecticut	2-1
2.1	Regional Conceptual Description of the Ozone Problem	2-1
2.2	A Connecticut Perspective on the Regional Ozone Problem	2-7
2.2.1	Meteorological Regimes Producing High Ozone in Connecticut	2-8
2.2.2	Modeling Evidence of Ozone Transport	2-8
Chapter 3	Ozone Air Quality Levels in Connecticut and Recent Trends	3-1
3.1	8-Hour Ozone Trends	3-2
3.1.1	Trends in Design Values	3-2
3.1.2	Trends in Ozone Exceedance Days	3-4
3.1.3	Trends in 8-Hour Ozone Percentiles	3-4
3.1.4	Meteorological Influences on Ozone Levels	3-5
3.2	VOC and NO _x Trends	3-8
Chapter 4	Base and Future Year Emission Estimates	4-1
4.1	2002 Base Year Typical Summer Day Inventory	4-1
4.1.1	CTDEP's 2002 Periodic Emissions Inventory	4-1
4.1.2	Updates to the 2002 PEI to Determine 2002 Base Year Emissions	4-3
4.1.3	Summary of Resulting 2002 Base Year Inventory	4-6
4.2	Post-2002 Control Measures Included in Future Year Projections	4-9
4.2.1	On-Road and Non-Road Mobile Sources and Fuels	4-9
4.2.2	Connecticut's Control of Stationary and Area Sources	4-19
4.3	Future Year Emission Projections	4-24
4.3.1	Growth Factors	4-24
4.3.2	Post-2002 Emission Reductions	4-26
4.3.3	Emission Projections for 2008, 2009, and 2012	4-31
4.4	Additional Reductions Not Included In Emission Projections	4-31

Table of Contents (continued)

		Page
Chapter 5	Meeting Reasonable Further Progress Requirements	5-1
5.1	Methodology and Calculations for Determining Emission Target Levels	5-1
5.2	Calculation of 2008 Target Levels	5-1
5.3	Compliance with 2008 RFP Requirements	5-5
5.4	RFP Contingency Requirements	5-7
Chapter 6	Reasonably Available Control Measures (RACM) Analysis	6-1
6.1	RACM Requirements	6-1
6.2	Summary of CT Reasonably Available Control Technology (RACT) Analysis	6-2
6.3	RACM Analysis for Other Stationary/Area Sources: A Regional Process	6-3
6.4	RACM Analysis for Mobile Sources	6-4
Chapter 7	Transportation Conformity Process and Motor Vehicle Emission Budgets	7-1
7.1	Overview of Transportation Conformity	7-1
7.1.1	Requirements	7-3
7.1.2	Previous 1-Hour Ozone Budgets	7-4
7.2	Current Interim Transportation Conformity Budgets for the 8-Hour Ozone Standard	7-4
7.3	Final Transportation Conformity Budgets for the 8-Hour Ozone Standard	7-5
Chapter 8	Attainment Demonstration and Weight of Evidence	8-1
8.1	Background and Objective of the Photochemical Modeling	8-1
8.1.1	Conceptual Description	8-2
8.1.2	Regional Modeling Protocol	8-3
8.2	Modeling Platform and Configuration	8-3
8.2.1	Episode Selection	8-3
8.2.2	Modeling Domain	8-4
8.2.3	Horizontal Grid Size	8-5
8.2.4	Vertical Resolution	8-5
8.2.5	Initial and Boundary Conditions	8-5
8.2.6	Meteorological Model Selection and Configuration	8-5
8.2.7	Emissions Inventory and Model Selection and Configuration	8-6
8.2.8	Air Quality Model Selection and Configuration	8-6
8.2.9	Quality Assurance	8-6
8.3	Model Performance Evaluation	8-7

Table of Contents (continued)

	Page	
8.3.1	Diagnostic and Operational Evaluation	8-7
8.3.2	Summary of Model Performance	8-10
8.4	Attainment Demonstration Modeling	8-11
8.4.1	Modeling Inventories	8-11
8.4.2	Modeled Attainment Test (MAT)	8-12
8.4.3	Unmonitored Area Analysis	8-15
8.4.4	Results of the Modeled Attainment Test	8-15
8.4.5	Conclusions for the Greater Connecticut Area	8-17
8.4.6	Conclusions for the Southwest Connecticut Area	8-17
8.5	Weight-of-Evidence Analysis	8-17
8.5.1	Modeling Uncertainties Indicate the CMAQ Model May Overpredict 2009 Ozone Levels	8-18
8.5.2	Air Quality Trends Indicate the CMAQ Model May Overpredict 2009 Ozone Levels	8-24
8.5.3	Attainment Levels Have Been Achieved During A Previous Cool Summer	8-28
8.5.4	“Clean Data” in 2009 would Qualify SWCT for Clean Air Act Extension Year(s)	8-28
8.5.5	Modeling Does Not Include Several Important Emission Control Strategies	8-29
8.5.6	Conclusions Based on Modeling and Weight of Evidence Analyses	8-34
Chapter 9	Contingency Plans	9-1
9.1	Contingency Plan for Failure to Achieve Reasonable Further Progress	9-2
9.2	Contingency Plan for Failure to Attain the 8-Hour Ozone NAAQS	9-2
Chapter 10	Commitments and Requests for EPA Actions	10-1
10.1	Connecticut’s SIP Commitments	10-1
10.1.1	Status of Connecticut’s Ozone Control Strategy Regulations	10-1
10.1.2	Schedule to Implement New EPA Control Techniques Guidelines	10-3
10.1.3	New Source Review Requirements	10-4
10.1.4	Monitoring Network	10-4
10.2	Connecticut’s Reliance on the Actions of Other States and EPA for Attainment	10-5

List of Figures

		Page
Figure 1.4.1	CT-NY- NJ-RI 8-Hour Ozone Non-Attainment Areas and 2003 Design Values	1-8
Figure 2.1.1	Northeast 8-Hour Ozone Non-Attainment Areas and Averaged Design Values	2-2
Figure 2.1.2	Typical Weather Pattern Associated with Severe Ozone Episodes in the OTR	2-3
Figure 2.1.3	Conceptual Picture of Different Transport Regimens Contributing to Ozone Episodes in the OTR	2-4
Figure 2.1.4	Observed Vertical Ozone Profile Measured Above Poughkeepsie, NY at about 4 a.m. EST on July 14, 1995	2-5
Figure 2.1.5	2002 MANE-VU State VOC Inventories in the OTR	2-6
Figure 2.1.6	2002 MANE-VU State NO _x Inventories in the OTR	2-7
Figure 3.0.1	Connecticut Ozone Monitoring Sites in 2007	3-1
Figure 3.0.2	8-Hour Ozone Nonattainment Areas in Connecticut, New York, New Jersey and Rhode Island and Associated 2006 Design Values	3-2
Figure 3.1.1.1	Greater Connecticut Ozone Non-Attainment Area 8-Hour Ozone Design Value Trends	3-3
Figure 3.1.1.2	Southwest Connecticut Portion of NY/NJ/CT Ozone Non-Attainment Area 8-Hour Ozone Design Value Trends	3-3
Figure 3.1.2	Trends in Connecticut 8-Hour O ₃ Exceedance Days, 1975-2006	3-4
Figure 3.1.3	Connecticut Average of Statewide Daily Maximum 8-Hour Ozone Levels Binned by Percentile for Each Year 1981-2006	3-5
Figure 3.1.4.1	Connecticut Average of Statewide Daily Maximum 8-Hour Ozone Binned by Temperature	3-6
Figure 3.1.4.2	Connecticut 8-Hour Ozone Exceedance Days vs. “Hot” Days	3-7

List of Figures (continued)

		Page
Figure 3.1.4.3	Connecticut Statewide 8-Hour Ozone Standard Ratio of “Unhealthy” to “Hot” Days through 2006	3-8
Figure 3.2.1	1997-2005 East Hartford, CT Average Monthly NOx Concentrations	3-9
Figure 3.2.2	East Hartford 1997-2006 NOx and TNMOC Trend	3-10
Figure 3.2.3	East Hartford McAuliffe Park Oxides of Nitrogen June to August 1994-2006 Trend	3-11
Figure 3.2.4	Westport Sherwood Island Oxides of Nitrogen June to August 1996-2006 Trend	3-11
Figure 3.2.5	East Hartford McAuliffe Park Total Non-Methane Organic Carbon June to August 1994-2006 Trend	3-12
Figure 3.2.6	Westport Sherwood Island Total Non-Methane Organic Carbon June to August 1996-2006 Trend	3-12
Figure 3.2.7	Westport NOx	3-13
Figure 3.2.8	Westport TNMOC	3-13
Figure 4.1.3.1	Connecticut’s 2002 Base Year VOC Inventory (State Total = 785 tons/summer day)	4-8
Figure 4.1.3.2	Connecticut’s 2002 Base Year NOx Inventory (State Total = 334 tons/summer day)	4-8
Figure 4.4.1	Projected Anthropogenic VOC Emission Trends for Connecticut	4-33
Figure 4.4.2	Projected Anthropogenic NOx Emission Trends for Connecticut	4-33
Figure 7.0.1	Transportation Conformity Process	7-2
Figure 8.2.2.1	Modeling Domain Used for OTR Modeling	8-4
Figure 8.3.1.1	Location of Ozone Monitors in the Vicinity of Connecticut	8-9

List of Figures (continued)

		Page
Figure 8.4.2.1	Number of Days with Maximum Temperature 90+°F (5-Year EPA Weighted Average Method at BDL)	8-13
Figure 8.4.2.2	Number of Days with Maximum Temperature 90+°F (3-Year Running Average at BDL)	8-14
Figure 8.4.2.3	Number of Days with Maximum Temperature 90+°F (5-Year Running Average at BDL)	8-14
Figure 8.4.4.1	Connecticut 2002 Design Concentrations used in Modeling (CTDEP DVb Method)	8-16
Figure 8.4.4.2	Connecticut 2009 Ozone Modeling Results (CTDEP DVb Method)	8-16
Figure 8.4.4.3	Connecticut 2012 Ozone Modeling Results (CTDEP DVb Method)	8-16
Figure 8.5.1.1	Daily NOx Emissions from EGUs in New England	8-19
Figure 8.5.1.2	Daily NOx Emissions from EGUs in NJ/NY City	8-19
Figure 8.5.1.3	Comparison of Actual and Modeled EGU Emissions for Hudson County, NJ	8-20
Figure 8.5.1.3.1	Wind Rose Plots along Connecticut Shoreline for the Time Period April 1 to October 31 during the Years 1997 through 2005	8-24
Figure 8.5.2.1	Trends in 8-Hour Ozone Design Values for the Southwest Connecticut Area	8-25
Figure 8.5.2.2	Connecticut Statewide 8-Hour Ozone Standard Ratio of “Unhealthy” to “Hot” Days through 2006	8-25
Figure 8.5.2.3	Measured Improvement in Design Values Compared to Ratio- of-Progress Needed to be On-Target for 2009 Attainment	8-26

List of Tables

		Page
Table 1.3	Control Strategies Implemented Statewide in Connecticut to Meet the 1-Hour Ozone NAAQS	1-5
Table 4.1.1.1	Connecticut's 2002 VOC Periodic Emissions Inventory (tons/summer day)	4-2
Table 4.1.1.2	Connecticut's Final 2002 NOx Periodic Emissions Inventory (tons/summer day)	4-2
Table 4.1.2.1	Local Inputs to EPA's NONROAD2005 Model	4-3
Table 4.1.2.2	CTDOT Series 28D Vehicle Miles Traveled Estimates for 2002 (Average Daily Summer Traffic)	4-4
Table 4.1.3.1	Summary of Connecticut's 2002 Base Year VOC Inventory (tons/summer day)	4-7
Table 4.1.3.2	Summary of Connecticut's 2002 Base Year NOx Inventory (tons/summer day)	4-7
Table 4.2.1.1	On-Road Mobile Sources Control Strategies	4-10
Table 4.2.1.2	Non-Road Mobile Sources Control Strategies	4-15
Table 4.2.2	Connecticut's Post-2002 Control Measures Included In Future Year Projections	4-20
Table 4.3.2	Estimated Statewide Emission Reductions from Post-2002 Ozone Control Strategies (tons/day)	4-27
Table 4.4.1	Summary of Greater Connecticut's Projected Emission Trends 2002-2012 (tons/summer day)	4-32
Table 4.4.2	Summary of Southwest Connecticut's Projected Emission Trends 2002-2012 (tons/summer day)	4-32
Table 5.2.1	Greater Connecticut's 2002 Reasonable Further Progress Inventory (tons/summer day)	5-2
Table 5.2.2	Southwest Connecticut's 2002 Reasonable Further Progress Inventory (tons/summer day)	5-2
Table 5.2.3	Greater Connecticut 2002 & 2008 Adjusted RFP Inventories & Non-Creditable Reductions (tons/summer day)	5-3

List of Tables (continued)

		Page
Table 5.2.4	Southwest Connecticut 2002 & 2008 Adjusted RFP Inventories & Non-Creditable Reductions (tons/summer day)	5-4
Table 5.2.5	Greater Connecticut Calculation of 2008 Target Levels (tons/summer day)	5-5
Table 5.2.6	Southwest Connecticut Calculation of 2008 Target Levels (tons/summer day)	5-5
Table 5.3.1	Greater Connecticut Demonstration of Reasonable Further Progress Comparison of 2008 Projected and Target Level Emissions (tons/summer day)	5-6
Table 5.3.2	Southwest Connecticut Demonstration of Reasonable Further Progress Comparison of 2008 Projected and Target Level Emissions (tons/summer day)	5-6
Table 6.4.1	CMAQ 2007-10 Emission Summary Report Table	6-5
Table 6.4.2	CMAQ 2002-2006 Emission Summary Report Table	6-6
Table 7.1.2	1-Hour Ozone Nonattainment MVEB's for 2007 (Based on MOBILE6.2)	7-4
Table 7.2	8-Hour Ozone Nonattainment MVEB's for 2007 (Based on reallocated 1-Hour Ozone Nonattainment MVEB's for 2007)	7-5
Table 7.3	Final Eight-Hour Ozone Nonattainment MVEBs (tons per summer day)	7-5
Table 8.3.1.1	Southwest Connecticut and Greater Connecticut Statistics for 8-Hour Ozone	8-8
Table 8.3.1.2	Individual Site Statistics for 8-Hour Ozone Using 40 ppb Cutoff	8-8
Table 8.3.1.3	Individual Site Statistics for 8-Hour Ozone using 60 ppb Cutoff	8-9
Table 8.4.4.1	CMAQ Modeling Results for Connecticut for 2009 and 2012	8-15
Table 8.5.2.2.1	Comparison of 2006+ Actual Design Values to CMAQ Interpolated	8-27

List of Tables (continued)

		Page
Table 8.5.5	Additional Emission Control Strategies Not Included in the CMAQ Modeling	8-30
Table 8.5.5.3	Energy Savings and Emissions Reductions from CEEF Projects, 2003-2006	8-33
Table 9.0	Emission Reduction Requirements for Contingency Plans	9-1
Table 10.1.1	Status of Regulations CTDEP Commits to Pursue to Adopt for the 8-Hour Ozone SIP	10-2
Table 10.1.2	CTGs Scheduled for Adoption by EPA Since 2005	10-4

Appendices

Appendix 2A: “The Nature of the Ozone Air Quality Problem in the Ozone Transport Region: A Conceptual Description,” NESCAUM, October 2006

Appendix 2B: A Connecticut Perspective On the Regional Ozone Problem

Appendix 4A: Documentation of Mobile Source Emissions Modeling: NONROAD2005 Input Files and MOBILE6.2 Input Files for Greater Connecticut and Southwest Connecticut Emission Estimates 2002, 2008, 2009, 2012

Appendix 4B: Portable Fuel Container Emission Estimates for 2005 Excerpted from CTDEP’s Draft 2005 Periodic Emissions Inventory (draft, April 16, 2007)

Appendix 4C: 2002 Base Year Inventory Used to Develop Rate-of-Progress Emission Target Levels

Appendix 4D: Documentation of Growth Factors Used to Project Emissions for 2008, 2009 and 2012

Appendix 4E: Emission Projections for 2008, 2009, & 2012 Including Calculation of Emission Reductions Resulting from Control Strategies

Appendix 5A: Documentation of On-Road Mobile Source Emissions Modeling for Reasonable Further Progress (RFP) Inventories 2002 and 2008 MOBILE6.2 Input Files for Greater Connecticut and Southwest Connecticut

Appendix 6A: Final 2007 Statewide Transportation Improvement Program (STIP) as of 03/30/07

Appendix 6B: Ozone Transport Commission: Control Measures Technical Support Document

Appendix 8A: A Modeling Protocol for the OTC SIP Quality Modeling System for Assessment of the Ozone National Ambient Air Quality Standard in the Ozone Transport Region

Appendix 8B: Determination of Representativeness of 2002 Ozone Season for Ozone Transport Region SIP Modeling

Appendix 8C: OTC Modeling Grid Configurations Developed by NYDEC

Appendix 8D: MM5 Model Configuration

Appendix 8E: MM5 Model Evaluation Document #1

Appendix 8F: MM5 Model Evaluation Document #2

Appendix 8G: Documentation of the Base G 2002 Base Year, 2009 and 2018, Emission Inventories for VISTAS

Appendix 8H: Technical Support Document for 2002 MANE-VU SIP Modeling Inventories, Version 3

Appendix 8I: Development of Emission Projections For 2009, 2012, and 2018 For NonEGU Point, Area, and Nonroad Source In the MANE-VU Region

Appendix 8J: Emission Processing for the Revised 2002 OTC Regional and Urban 12 km Base Case Simulations

Appendix 8K: Emission Processing for OTC 2009 OTW/OTB 12km CMAQ Simulations

Appendix 8L: CMAQ Air Quality Model Configuration

Appendix 8M: CMAQ Model Performance and Assessment, 8-Hr OTC Ozone Modeling

Appendix 8N: Isopleth Maps Displaying Ozone Design Value Improvements In the Northeast 1985 – 2006

Appendix 8O: “Memorandum of Understanding Among the States of the Ozone Transport Commission Concerning the Incorporation of High Electrical Demand Day Emission Reduction Strategies into Ozone Attainment State Implementation Planning,” March 2, 2007

Appendix 8P: “Avoided Nitrogen Oxide Emissions from Energy Efficiency on High Electric Demand Days in Connecticut: A preliminary Analysis,” Resource Systems Group Inc. – March 2007

Appendix 8Q: ECMB 2006 Annual Report, March 2007

Acronyms and Abbreviations

ACT	Alternative Control Techniques
ADT	Average Daily Traffic
AIM	Architectural and Industrial Maintenance
ASM 2525	Accelerated Simulation Mode Vehicle Emissions Test (25 mph/25% Load)
ATV	All Terrain Vehicle
BOTW	Beyond on the Way
BTU	British Thermal Unit
CAA	Clean Air Act
CAAA	Clean Air Act Amendments
CAIR	Clean Air Interstate Rule
CALEV2	California Low Emission Vehicle Program – Phase 2
CARB	California Air Resources Board
CASTNet	Clean Air Status and Trends Network
CEEF	Connecticut Energy Efficiency Fund
CFR	Code of Federal Regulations
CI	Compression Ignition
CMAQ	Congestion Mitigation and Air Quality
CMAQ	EPA's Models-3/Community Multi-scale Air Quality Modeling System
CNG	Compressed Natural Gas
CO	Carbon Monoxide
COPD	Chronic Obstructive Pulmonary Disease
CT	Connecticut
CTDEP	Connecticut Department of Environmental Protection
CTDOL	Connecticut Department of Labor
CTDOT	Connecticut Department of Transportation
CTG	Control Technique Guideline
DC	District of Columbia
DV	Design Value
DV _B	Baseline Measured Concentration
DV _F	Estimated Future Design Value
ECMB	Energy Conservation Management Board
EE	Energy Efficiency
EGU	Electric Generating Unit
EPA	Environmental Protection Agency
ERT	Environmental Resources Trust
FCM	Forward Capacity Market
FHWA	Federal Highway Administration
FIP	Federal Implementation Plan
FMVCP	Federal Motor Vehicle Control Program
FR	Federal Register
FTA	Federal Transit Administration
FY	Fiscal Year
GVWR	Gross Vehicle Weight Rating
HC	Hydrocarbon

HEDD	High Electrical Demand Day
hp	Horsepower
HOV	High-Occupancy Vehicle
ICAO	United Nations International Civil Aviation Organization
ICI	Industrial/Commercial/Institutional
I/M	Inspection and Maintenance
ISO-NE	Independent Systems Operator – New England
lbs	Pounds
LEEDS	Leadership in Environmental Design Silver
LEV	Low Emission Vehicle
LPG	Liquid Propane Gas
MA	Massachusetts
MACT	Maximum Available Control Technology
MANE-VU	Mid-Atlantic/Northeast Visibility Union
MARAMA	Mid-Atlantic Regional Air Management Association
MARPOL	International Convention for the Prevention of Pollution from Ships
MAT	Modeled Attainment Test
MD	Maryland
MM5	Mesoscale Meteorological Model
MMBtu	Million British Thermal Units
MNGE	Mean Normalized Gross Error
MNB	Mean Normalized Bias
MOU	Memorandum of Understanding
MOBILE6 or MOBILE6.2	EPA's On-Road Mobile Source Emissions Estimation Model
MPO	Metropolitan Planning Organization
MVEB	Motor Vehicle Emission Budgets
MW	Megawatt
MWh	Megawatt Hour
MWC	Municipal Waste Combustor
NAAQS	National Ambient Air Quality Standards
NARSTO	North American Research Strategy for Tropospheric Ozone
NESCAUM	Northeast States for Coordinated Air Use Management
NJ	New Jersey
NJDEP	New Jersey Department of Environmental Protection
NLEV	National Low Emission Vehicle Program
NO	Nitrogen Oxide
NO ₂	Nitrogen Dioxide
NO _x	Oxides of Nitrogen
NONROAD or NONROAD2005	EPA's Non-Road Emissions Estimation Model
NSR	New Source Review
NY	New York
NYC	New York City
NYSDEC	New York State Department of Environmental Conservation
OBD-II	On-Board Diagnostics – Phase 2
OEM	Original Equipment Manufacturer

OH	Ohio
ORVR	Onboard Refueling Vapor Recovery
OTC	Ozone Transport Commission
OTR	Ozone Transport Region
PA	Pennsylvania
PAMS	Photochemical Assessment Monitoring Station
PEI	Periodic Emission Inventory
PFC	Portable Fuel Container
PL	Public Law
PM _{2.5}	Fine Particulate Matter (particles with an aerodynamic diameter less than or equal to a nominal 2.5 micrometers)
PM ₁₀	Particles with an aerodynamic diameter less than or equal to a nominal 10 micrometers
ppb	Parts per billion
ppm	Parts per million
PSU/NCAR	Pennsylvania State University/National Center for Atmospheric Research
PV	Pressure Vacuum
RACM	Reasonably Available Control Measure
RACT	Reasonably Available Control Technology
RCSA	Regulations of Connecticut State Agencies
RE	Rule Effectiveness
RFG	Reformulated Gasoline
RFP	Reasonable Further Progress
RI	Rhode Island
ROP	Rate of Progress
RPO	Regional Planning Organization
RRF	Relative Response Factor
RRF	Resource Recovery Facility
RVP	Reid Vapor Pressure
SAFETEA	Safe, Accountable, Flexibility, Efficient Transportation Equity Act of 2003
SAFETEA- LU	Safe, Accountable, Flexible, Efficient Transportation Equity Act, A Legacy for Users
SCAQMD	South Coast Air Management Quality District
SI	Spark Ignition
SIP	State Implementation Plan
SLAMS/ NAMS	State & Local Air Monitoring System and National Air Monitoring System
SMOKE	Sparse Matrix Operator Kernel Emissions
SO ₂	Sulfur Dioxide
STIP	Statewide Transportation Improvement Program
SUV	Sport Utility Vehicle
TCM	Transportation Control Measure
TEA-21	Transportation Equity Act for the 21 st Century
TIP	Transportation Improvement Program
TNMOC	Total Non-Methane Organic Carbon
tpd	Tons per day
tpy	Tons per year
TSD	Technical Support Document

UMD	University of Maryland at College Park
USCA	United States Code Annotated
USDOT	United States Department of Transportation
USEPA	United States Environmental Protection Agency
VA	Virginia
VADEQ	Virginia Department of Environmental Quality
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compound
WV	West Virginia
WOE	Weight-of-Evidence