



Teen Dating Violence in Connecticut, 2013




Experienced Verbal or Emotional Abuse from a Boyfriend or Girlfriend




Source: 2013 CT School Health Survey

Experienced Physical Violence from a Boyfriend or Girlfriend




Source: 2013 CT School Health Survey

Experienced Sexual Abuse from a Boyfriend or Girlfriend




Source: 2013 CT School Health Survey

Co-occurring dating violence or abuse




Source: 2013 CT School Health Survey

Missed school in the past month because felt unsafe at school or on way to/from school




Source: 2013 CT School Health Survey

Threatened at school or on way to/from school




Self-harm in past year (cutting, burning, etc.)




Source: 2013 CT School Health Survey


In the past year, felt sad or hopeless almost every day for two weeks or more in a row



Seriously considered attempting suicide, in the past year




Family gives love, help and support when needed




Source: 2013 CT School Health Survey

Bullied on school property during the past year




Source: 2013 CT School Health Survey

Electronically bullied in the past year




Source: 2013 CT School Health Survey

Smoked cigarettes in the past 30 days




Source: 2013 CT School Health Survey

Drank alcohol in the past 30 days




Source: 2013 CT School Health Survey

Binge drinking in the past 30 days (5 or more drinks of alcohol in a row, within a couple of hours)




Source: 2013 CT School Health Survey

Used marijuana in the past 30 days




Source: 2013 CT School Health Survey

Has ever used ecstasy




Source: 2013 CT School Health Survey

Has ever used inhalants (sniffed glue, aerosol spray cans, or paints/sprays to get high)




Source: 2013 CT School Health Survey

Has ever taken over-the-counter drugs to get high




Source: 2013 CT School Health Survey

Has ever taken prescription drugs to get high




Source: 2013 CT School Health Survey

Had sexual intercourse with four or more people during their life



Source: 2013 CT School Health Survey

Of those sexually active, used a condom the most recent sexual intercourse



Source: 2013 CT School Health Survey

Connecticut School Health Survey

Publications, survey information, and program information are available on the following web pages

www.ct.gov/dph/CSHS

www.ct.gov/sde/healthyconnections

www.cdc.gov/YRBSS